



Phone: 800-733-5508

Fax: 607-732-5379

E-Mail: info@evolutionedges.com

EvolutionEdges.com

SNOW BLADE PRODUCT LIST

Steel Snow Plow Cutting Edges

1 Piece 6" Plow Blades

Material Size	Length	Holes	Hole Position, Size & Spacing*	Part #
5/8" x 6"	108	11	top 5/8" @ 3-3-12(8)-3	E586108TA5
5/8" x 6"	108	14	top 5/8" @ 2-8(13)	E586108TB5
5/8" x 6"	120	12	top 5/8" @ 3-3-12(9)-3	E586120TA5
5/8" x 6"	122 3/4	13	top 5/8" @ 3-3-12(9)-3-2 special	E586122FS01
5/8" x 6"	126	13	top 5/8" @ 3-3-9-12(8)-9-3	E586126TA5
5/8" x 6"	128	16	top 5/8" @ 2 1/4-8(15)	E586128TE5
5/8" x 6"	132	13	top 5/8" @ 3-3-12(10)-3	E586132TA5
5/8" x 6"	132	17	top 5/8" @ 2-8(16)	E586132TB5
5/8" x 6"	134 3/4	14	top 5/8" @ 3-3-12(10)-3-2 special	E586134FS01
5/8" x 6"	144	14	top 5/8" @ 3-3-12(11)-3	E586144TA5
5/8" x 6"	144	18	top 5/8" @ 4-8(16)-4	E586144TC5
5/8" x 6"	151	19	top 5/8" @ 2 1/4-8(18)	E586151TE5
5/8" x 6"	156	15	top 5/8" @ 3-3-12(12)-3	E586156TA5
3/4" x 6"	108	11	top 5/8" @ 3-3-12(8)-3	E346108TA5
3/4" x 6"	120	12	top 5/8" @ 3-3-12(9)-3	E346120TA5
3/4" x 6"	132	13	top 5/8" @ 3-3-12(10)-3	E346132TA5
3/4" x 6"	132	17	top 5/8" @ 2-8(16)	E346132TB5
3/4" x 6"	144	14	top 5/8" @ 3-3-12(11)-3	E346144TA5
3/4" x 6"	156	15	top 5/8" @ 3-3-12(12)-3	E346156TA5

1 Piece 8" Plow Blades

Material Size	Length	Holes	Hole Position, Size & Spacing*	Part #
5/8" x 8"	108	11	center 5/8" @ 3-3-12(8)-3	E588108CA5
5/8" x 8"	108	11	top 5/8" @ 3-3-12(8)-3	E588108TA5
5/8" x 8"	120	12	center 5/8" @ 3-3-12(9)-3	E588120CA5
5/8" x 8"	120	15	center 5/8" @ 4-8(14)	E588120CC5
5/8" x 8"	120	12	top 5/8" @ 3-3-12(9)-3	E588120TA5
5/8" x 8"	120	15	top 5/8" @ 4-8(14)	E588120TC5
5/8" x 8"	132	13	center 5/8" @ 3-3-12(10)-3	E588132CA5
5/8" x 8"	132	17	center 5/8" @ 2-8(16)	E588132CB5
5/8" x 8"	132	13	top 5/8" @ 3-3-12(10)-3	E588132TA5
5/8" x 8"	132	17	top 5/8" @ 2-8(16)	E588132TB5
5/8" x 8"	144	14	center 5/8" @ 3-3-12(11)-3	E588144CA5
5/8" x 8"	144	18	center 5/8" @ 4-8(16)-4	E588144CC5
5/8" x 8"	144	14	top 5/8" @ 3-3-12(11)-3	E588144TA5
5/8" x 8"	144	18	top 5/8" @ 4-8(16)-4	E588144TC5
5/8" x 8"	156	15	center 5/8" @ 3-3-12(12)-3	E588156CA5
5/8" x 8"	156	15	top 5/8" @ 3-3-12(12)-3	E588156TA5
3/4" x 8"	108	11	center 5/8" @ 3-3-12(8)-3	E348108CA5
3/4" x 8"	108	11	top 5/8" @ 3-3-12(8)-3	E348108TA5
3/4" x 8"	120	12	center 5/8" @ 3-3-12(9)-3	E348120CA5
3/4" x 8"	120	15	center 5/8" @ 4-8(14)	E348120CC5
3/4" x 8"	120	12	top 5/8" @ 3-3-12(9)-3	E348120TA5
3/4" x 8"	120	15	top 5/8" @ 4-8(14)	E348120TC5
3/4" x 8"	132	13	center 5/8" @ 3-3-12(10)-3	E348132CA5
3/4" x 8"	132	17	center 5/8" @ 2-8(16)	E348132CB5
3/4" x 8"	132	13	top 5/8" @ 3-3-12(10)-3	E348132TA5
3/4" x 8"	132	17	top 5/8" @ 2-8(16)	E348132TB5
3/4" x 8"	144	14	center 5/8" @ 3-3-12(11)-3	E348144CA5
3/4" x 8"	144	18	center 5/8" @ 4-8(16)-4	E348144CC5
3/4" x 8"	144	14	top 5/8" @ 3-3-12(11)-3	E348144TA5
3/4" x 8"	156	15	center 5/8" @ 3-3-12(12)-3	E348156CA5
3/4" x 8"	156	15	top 5/8" @ 3-3-12(12)-3	E348156TA5

*() Denotes Repetition



Phone: 800-733-5508

Fax: 607-732-5379

E-Mail: info@evolutionedges.com

EvolutionEdges.com

2 Piece Regular Plow Blades

Material Size	Length	Holes	Hole Position, Size & Spacing*	Part #
3/4" x 8"	60	7	center 5/8" @ 3-3-12(4)-3	E34860CA5
3/4" x 8"	60	8	center 5/8" @ 2-8(7)	E34860CB5
3/4" x 8"	60	7	top 5/8" @ 3-3-12(4)-3	E34860TA5
3/4" x 8"	60	8	top 5/8" @ 2-8(7)	E34860TB5
3/4" x 8"	72	8	center 5/8" @ 3-3-12(5)-3	E34872CA5
3/4" x 8"	72	9	center 5/8" @ 2-8(8)	E34872CB5
3/4" x 8"	72	8	top 5/8" @ 3-3-12(5)-3	E34872TA5
3/4" x 8"	72	9	top 5/8" @ 2-8(8)	E34872TB5
1" x 8"	60	7	center 5/8" @ 3-3-12(4)-3	E1860CA5
1" x 8"	60	8	center 5/8" @ 2-8(7)	E1860CB5
1" x 8"	60	7	top 5/8" @ 3-3-12(4)-3	E1860TA5
1" x 8"	60	8	top 5/8" @ 2-8(7)	E1860TB5
1" x 8"	72	8	center 5/8" @ 3-3-12(5)-3	E1872CA5
1" x 8"	72	9	center 5/8" @ 2-8(8)	E1872CB5
1" x 8"	72	8	top 5/8" @ 3-3-12(5)-3	E1872TA5
1" x 8"	72	9	top 5/8" @ 2-8(8)	E1872TB5

2 Piece Surface Hardened Plow Blades

Material Size	Length	Holes	Hole Position, Size & Spacing*	Part #
3/4" x 8"	60	7	center 3-3-12(4)-3	E34860CA5SH
3/4" x 8"	72	8	center 3-3-12(5)-3	E34872CA5SH
3/4" x 8"	60	7	top 3-3-12(4)-3	E34860TA5SH
3/4" x 8"	72	8	top 3-3-12(5)-3	E34872TA5SH
3/4" x 8"	60	8	center 2-8(7)	E34860CB5SH
3/4" x 8"	72	9	center 2-8(8)	E34872CB5SH
3/4" x 8"	60	8	top 2-8(7)	E34860TB5SH
3/4" x 8"	72	9	top 2-8(8)	E34872TB5SH
1" x 8"	60	7	center 3-3-12(4)-3	E1860CA5SH
1" x 8"	72	8	center 3-3-12(5)-3	E1872CA5SH
1" x 8"	60	7	top 3-3-12(4)-3	E1860TA5SH
1" x 8"	72	8	top 3-3-12(5)-3	E1872TA5SH
1" x 8"	60	8	center 2-8(7)	E1860CB5SH
1" x 8"	72	9	center 2-8(8)	E1872CB5SH
1" x 8"	60	8	top 2-8(7)	E1860TB5SH
1" x 8"	72	9	top 2-8(8)	E1872TB5SH
1" x 8"	71 15/16	7	top 3-3-12-6	E1871FCB5SH
1" x 8"	71 7/8	9	center 2-8-8-6	E1871FTA5SH

Carbide Insert Snow Plow Cutting Edges

Material Size	Length	Holes	Hole Position, Size & Spacing*	Part #
3/4" x 6"	36	5	2" top 3-3-12(2)-3	E34636S01C
3/4" x 6"	36	5	1 1/2" top 3-3-12(2)-3	E34636TA5C
3/4" x 6"	44	6	2" top 2-8(5)	E34644S01C
3/4" x 6"	44	5	2" top 6-8(4)	E34644S02C
3/4" x 6"	48	6	2" top 3-3-12(3)-3	E34648S01C
3/4" x 6"	48	6	1 1/2" top 3-3-12(3)-3	E34648TA5C

*() Denotes Repetition



Phone: 800-733-5508

Fax: 607-732-5379

E-Mail: info@evolutionedges.com

EvolutionEdges.com

Grader Blades

High Carbon Steel

Material Size	Length	Holes	Hole Position, Size & Spacing*	Part #
5/8" x 6"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG58660TA5
5/8" x 6"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG58672TA5
5/8" x 6"	84"	9	top 5/8" @ 3-3-12(6)-3 Curved Double Bevel	EG58684TA5
5/8" x 8"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG58860TA5
5/8" x 8"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG58872TA5
5/8" x 8"	84"	9	top 5/8" @ 3-3-12(6)-3	EG58884TA5
3/4" x 6"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG34660TA5
3/4" x 6"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG34672TA5
3/4" x 6"	84"	9	top 5/8" @ 3-3-12(6)-3 Curved Double Bevel	EG34684TA5
3/4" x 8"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG34860TA5
3/4" x 8"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG34872TA5
3/4" x 8"	84"	9	top 5/8" @ 3-3-12(6)-3 Curved Double Bevel	EG34884TA5
3/4" x 8"	72"	8	top 3/4" @ 3-3-12(5)-3 Curved Double Bevel	EG34872TA3
3/4" x 8"	84"	9	top 3/4" @ 3-3-12(6)-3 Curved Double Bevel	EG34884TA3

Thru-Hardened Steel

Material Size	Length	Holes	Hole Position, Size & Spacing*	Part #
5/8" x 6"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG58660TA5TH
5/8" x 6"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG58672TA5TH
5/8" x 6"	84"	9	top 5/8" @ 3-3-12(6)-3 Curved Double Bevel	EG58684TA5TH
5/8" x 8"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG58860TA5TH
5/8" x 8"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG58872TA5TH
5/8" x 8"	84"	9	top 5/8" @ 3-3-12(6)-3	EG58884TA5TH
3/4" x 6"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG34660TA5TH
3/4" x 6"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG34672TA5TH
3/4" x 6"	84"	9	top 5/8" @ 3-3-12(6)-3 Curved Double Bevel	EG34684TA5TH
3/4" x 8"	60"	7	top 5/8" @ 3-3-12(4)-3 Curved Double Bevel	EG34860TA5TH
3/4" x 8"	72"	8	top 5/8" @ 3-3-12(5)-3 Curved Double Bevel	EG34872TA5TH
3/4" x 8"	84"	9	top 5/8" @ 3-3-12(6)-3 Curved Double Bevel	EG34884TA5TH
3/4" x 8"	72"	8	top 3/4" @ 3-3-12(5)-3 Curved Double Bevel	EG34872TA3TH
3/4" x 8"	84"	9	top 3/4" @ 3-3-12(6)-3 Curved Double Bevel	EG34884TA3TH

*() Denotes Repetition



Phone: 800-733-5508

Fax: 607-732-5379

E-Mail: info@evolutionedges.com

EvolutionEdges.com

Steel Pick-Up Plow Cutting Edges

Pick-up V-Plow Blades

Material Size	Length	Holes	Manufacturer
1/2" x 6"	44 1/8	4	Boss V 7'6"
1/2" x 6"	48 1/16	4	Boss V 8'2"
1/2" x 6"	54	5	Boss V 9'2"
5/8" x 6"	44 1/8	4	Boss V 7'6"
5/8" x 6"	44 1/8	4	Boss V 7'6"
5/8" x 6"	48 1/16	4	Boss V 8'2"
5/8" x 6"	48 1/16	4	Boss V 8'2"
5/8" x 6"	54	5	Boss V 9'2"
5/8" x 6"	54	5	Boss V 9'2"
5/8" x 6"	59 3/8	5	Boss V 10'2"
1/2" x 6"	54	7	Hiniker V 9'6"
1/2" x 6"	48	6	Hiniker V 8'6"
1/2" x 6"	50 1/8	5	Fisher/Western Easy V 8'6"
1/2" x 6"	52 5/8	6	Fisher Extreme V 8'6"
1/2" x 6"	52 5/8	6	Fisher Extreme V 8'6"
1/2" x 6"	58 5/8	6	Fisher Extreme V 9'6"
1/2" x 6"	58 5/8	6	Fisher Extreme V 9'6"
5/8" x 6"	55 7/8	6	Fisher/Western Easy V 9'6"
5/8" x 6"	50 1/8	5	Fisher/Western Easy V 8'6"
1/2" x 6"	50	5	Western Old V

Pick-up Plow Blades

Material Size	Length	Holes	Manufacturer
1/2" x 6"	94	7	Blizzard
5/8" x 6"	89	7	Blizzard
5/8" x 6"	90	8	Boss 7'6"
5/8" x 6"	96	10	Boss 8'
5/8" x 6"	102	10	Boss 8'6"
5/8" x 6"	108	10	Boss 9'
5/8" x 6"	96	7	Curtis (countersunk)
5/8" x 6"	18	3	Diamond
5/8" x 6"	45	8	Diamond
5/8" x 6"	51	7	Diamond
1/2" x 6"	89 15/16	8	Fisher Meyer
1/2" x 6"	96	8	Fisher Meyer
5/8" x 6"	84	7	Fisher Meyer
5/8" x 6"	89 15/16	8	Fisher Meyer
5/8" x 6"	96	8	Fisher Meyer
5/8" x 6"	102	9	Fisher Meyer
5/8" x 6"	108	11	Fisher Meyer
5/8" x 6"	108	11	Fisher/Meyer
5/8" x 6"	96 1/16	10	Fisher X Blade 8'
5/8" x 6"	102	10	Fisher X Blade 8'6"
5/8" x 6"	108	11	Fisher X Blade 9' / Western
5/8" x 8"	59 3/4	5	Fisher/Meyer MC 10'
5/8" x 8"	59 3/4	5	Fisher Meyer MC 10'
5/8" x 8"	96	10	Fisher/Meyer
5/8" x 8"	96	8	Fisher/Meyer
5/8" x 8"	108	11	Fisher/Meyer MC 9'
5/8" x 8"	108	11	Fisher/Meyer MC 9'
5/8" x 8"	108	11	Fisher/Meyer MC 9'

*() Denotes Repetition



Phone: 800-733-5508

Fax: 607-732-5379

E-Mail: info@evolutionedges.com

EvolutionEdges.com

Pick-up Plow Blades

Material Size	Length	Holes	Manufacturer
1/2" x 6"	27 9/16	4	Hiniker Scoop Ends mitered
1/2" x 6"	42	5	Hiniker Scoop 8' Center
1/2" x 6"	48	7	Hiniker 8' Bottom Trip
1/2" x 6"	54	6	Hiniker Scoop 9' Center
1/2" x 6"	54	7	Hiniker 9' Bottom Trip
1/2" x 6"	90	10	Hiniker 7'6"
1/2" x 6"	96	10	Hiniker 8'
5/8" x 6"	96	10	Hiniker 8'
1/2" x 6"	78	8	Western
1/2" x 6"	90	8	Western countersunk plow bolt
1/2" x 6"	90	8	Western (diamond hole)
1/2" x 6"	90	8	Western
1/2" x 6"	96	8	Western
5/8" x 6"	90	8	Western Pro
5/8" x 6"	90	8	Western
5/8" x 6"	96	10	Western Pro +
5/8" x 6"	96	8	Western Pro
5/8" x 6"	102	10	Western Pro +
5/8" x 6"	102	8	Western
5/8" x 6"	108	10	Western Pro Plus
5/8" x 6"	108	10	Western Pro
5/8" x 6"	120	12	Western
1/2" x 6"	80	10	Snoway
1/2" x 6"	90	12	Snoway

*() Denotes Repetition